



VCStack - Network Design Options



VCStack™

the solution : the network



Introduction

The Allied Telesis resilient network solution for small and medium enterprises is created by the innovative combination of Virtual Chassis Stacking (VCStack™) and Link Aggregation. The advantages of this solution are presented in the “VCStack - Powerful Simplicity” technology solution, and an example configuration is detailed in the “VCStack x900 Tested Solution”. Both of these documents are available on the Allied Telesis website:

alliedtelesis.com/library/solutions

This solution is not tied to a particular set of products, or to a specific connectivity design. The flexibility of the solution, and the integrated nature of the Allied Telesis product range, mean that the solution can be realized in multiple incarnations to meet different price points and performance requirements.


A number of factors must be considered when deciding upon a network design and the products with which to realize that design:

Gigabit to the desktop	vs	10/100 to the desktop
PoE	vs	non-PoE
Copper	vs	Fibre
Non-blocking	vs	Blocking Ratio
L3 at the edge	vs	L3 only in the core
Intelligence right to the edge	vs	Intelligence to the aggregation layer
Dual PSU on core units	vs	Single PSU on core units
High speed core stacking	vs	Medium speed core stacking

The Allied Telesis LAN switch product range has been designed to offer options that allow multiple combinations of all these factors. As a network architect, you are not locked into a narrow set of options. You have the flexibility to create a network design that fits your needs, instead of being restricted by arbitrary vendor-imposed constraints.



Option 1: High performance gigabit to the desktop



Option 1: High performance gigabit to the desktop

Product combination:

- » AT-x600-24Ts/XP at the access layer
- » AT-SBx908 virtual chassis core

Connectivity:

- » Aggregated pairs of 10 gigabit links from Access to Core


Features:

- » Almost entirely non-blocking
- » Gigabit to the desktop
- » Configurable as L3 at the edge or L3 at the core
- » Strong Security at the edge
- » High speed core (160Gbps stacking bandwidth)
- » High resiliency core with 2xPSU per core switch
- » Pay-as-you-grow by sliding new 10-gig modules into core when required

Applications:

- » Data Centre
- » Hospital
- » Enterprise with high LAN bandwidth requirements

Option 2: Cost effective gigabit to the desktop



Option 2: Cost effective gigabit to the desktop

Product combination:

- » AT-8000GS/24 at the access layer
- » AT-x610-24Ts virtual chassis core

Connectivity:

- » Aggregated quads of 1-gigabit links from Access to Core


Features:

- » 5-to-1 blocking ratio
- » Gigabit to the desktop
- » Strong security at the edge
- » PoE option
- » Medium speed core

Applications:

- » Enterprise with medium LAN bandwidth requirements
- » Tertiary education department
- » Public administration offices

Option 3: High density gigabit to the desktop



Option 3: High density gigabit to the desktop

Product combination:

- » AT-8000GS/48 at the access layer
- » AT-x900-24XT virtual chassis core.

Connectivity:

- » Aggregated sets of 8 x 1-gigabit links from Access to Core


Features:

- » Extremely good price per port
- » 24-to-1 blocking ratio
- » Gigabit to the desktop
- » Strong Security at the edge
- » Medium speed core (30Gbps stacking bandwidth)
- » High resiliency core with 2xPSU per core switch
- » Edge and core resiliency

Applications:

- » Data Centre
- » Retail
- » Transport hub (Airport and Railway stations etc.)

Option 4: Fibre to the desktop



Option 4: Fibre to the desktop

Product combination:

- » AT-x900-48FS at the access layer
- » AT-x900-24XS virtual chassis core

Connectivity:

- » Aggregated sets of 4 x 1-gigabit links from Access to Core


Features:

- » High-security fully-fibre network
- » Almost completely non-blocking
- » Strong security and high intelligence (OSPF, PIM etc) at the edge
- » Configurable as L3 at the edge or L3 at the core
- » Industry-leading QoS from End to End
- » High resiliency core with 2xPSU per core switch

Applications:

- » High security operation centre
- » Military

Option 5: Long Distance Stacking



Option 5: Long Distance Stacking

Product combination:

AT-8000GS/24PoE at the access layer
AT-x610-24Ts virtual chassis core

Connectivity:

» Aggregated sets of 2 x 1-gigabit links from Access to Core


Features:

- » Gigabit to the desktop
- » Strong security at the edge
- » Configurable as L3 at the edge or L3 at the core
- » Power over Ethernet (PoE) powering VoIP phones and IP security cameras

Applications:

- » Distributed core with LD-VCStack for multi-building campus environment

Option 6: L3 PoE at the edge



Option 6: L3 PoE at the edge

Product combination:

- » AT-8624PoE at the access layer
- » AT-x900-24XT virtual chassis core

Connectivity:

- » Aggregated sets of 2 x 1-gigabit links from Access to Core


Features:

- » Almost completely non-blocking
- » Strong security and high intelligence (OSPF, PIM etc.) at the edge
- » Configurable as L3 at the edge or L3 at the core
- » Power over Ethernet (PoE)
- » High resiliency core with 2 power supplies per core switch
- » Highly configurable, cost-effective PoE network

Applications:

- » PoE surveillance camera installation

Option 7: Extremely cost-effective networking



Option 7: Extremely cost effective networking

Product combination:

- » AT-GS950/16 at the access layer
- » AT-8000GS/24 at the aggregation layer
- » AT-x610-24Ts virtual chassis core

Connectivity:

- » Single gigabit links from Access to Aggregation
- » Aggregated sets of 2 x 1-gigabit links from Aggregation to Core

Features:

- » Secure, resilient, manageable, intelligent, future-proof network at a very good price. Good value without sacrificing network quality.
- » Strong security close to the edge
- » Resilient Aggregation-Core design
- » Configurable QoS, Multicasting, etc
- » Fully gigabit
- » Simple to expand and upgrade
- » PoE options available

Applications:

- » Primary and Secondary educational institutions
- » Cost-conscious public or private sector operations

Summary

The 7 examples above have just scratched the surface of the full set of possible product and connectivity configurations in which the Allied Telesis resilient network solution can be deployed. They demonstrate the broad range of applications which the Allied Telesis Enterprise switch range can support with cost-effective, secure, flexible LAN installations.

Allied Telesis provides the products and solution framework to help you build the network you really need.




x610 Series

ADVANCED LAYER 3 GIGABIT ETHERNET STACKABLE SWITCHES

The Allied Telesis x610 series is the high performing and scalable solution for today's networks, providing an extensive range of port-density and uplink-connectivity options. 24-port and 48-port versions are available with optional 10 Gigabit uplinks and PoE+ ports. The ability to stack up to eight units includes using fiber for long distance stacking. The x610 Series can connect anything from a small workgroup right up to a large business.


Products



SwitchBlade® x908

ADVANCED LAYER 3 MODULAR SWITCHES

The Allied Telesis SwitchBlade™ x908 advanced Layer 3 modular switch offers high flexibility and port density in a small physical size, providing scalable and versatile switching solutions for today's Enterprise networks. Each chassis supports eight high-speed 60Gbps expansion bays, and can also be paired in a VCStack.



x900 12 & 24

ADVANCED LAYER 3 SWITCHES

The x900 Layer 3+ switches have high-speed 60Gbps expansion bays which provide a high level of port flexibility and application versatility unmatched by any other IRU Gigabit Ethernet switch on the market. The expansion modules can be used in a variety of configurations to provide tailored solutions that meet wide-ranging physical networking requirements. Multiple units can form a Virtual Chassis Stack with the XEM-STK expansion module.


Products



x600 Series

ADVANCED LAYER 3 GIGABIT STACKABLE EDGE SWITCHES

The Allied Telesis x600 series is an advanced series of stackable switches providing high performance, flexibility and reliability. The x600 series provides high levels of Network Access Control (NAC) security making them ideal for the entry point into a corporate network. High speed 10Gbps uplinks and high speed stacking of up to four switches ensures excellent performance, while optional redundant power supplies can ensure network availability.



AT-8000GS Series

GIGABIT ETHERNET SWITCHES

The Allied Telesis 8000GS Series Gigabit Ethernet switches are low-cost, managed and stackable. They are 1RU high and rack mountable. Some switches in this series have optional PoE.



AT-GS950 Series

GIGABIT ETHERNET SWITCHES

The Allied Telesis GS950 Websmart Switch Series is a cost-effective Gigabit Ethernet switch that allows configuration by Web browser and local RS232. This Gigabit Ethernet switch is an excellent alternative to SNMP managed devices in systems designed for information workers. The Websmart series supports Quality of Service and packet prioritization. Use the GS950 Series to transport voice, video and data over the network.



AT-8600 Series

LAYER 3 ETHERNET SWITCHES

The Allied Telesis 8600 Series of Fast Ethernet Layer 3 switches offer a high level of security and traffic control at the edge of your network at a reasonable price. This series of switches provide full routing capabilities and support RIPv2 and OSPFv2. PoE options are available.

About Allied Telesis Inc.

Allied Telesis is a world class leader in delivering IP/Ethernet network solutions to the global market place. We create innovative, standards-based IP networks that seamlessly connect you with voice, video and data services.

Enterprise customers can build complete end-to-end networking solutions through a single vendor, with core to edge technologies ranging from powerful 10 Gigabit Layer 3 switches right through to media converters.

Allied Telesis also offer a wide range of access, aggregation and backbone solutions for Service Providers. Our products range from industry leading media gateways which allow voice, video and data services to be delivered to the home and business, right through to high-end chassis-based platforms providing significant network infrastructure.

Allied Telesis' flexible service and support programs are tailored to meet a wide range of needs, and are designed to protect your Allied Telesis investment well into the future.

For further information visit us online at alliedtelesis.com



the **solution** : the **network**

North America Headquarters | 19800 North Creek Parkway | Suite 100 | Bothell | WA 98011 | USA | T: +1 800 424 4284 | F: +1 425 481 3895

Asia-Pacific Headquarters | 11 Tai Seng Link | Singapore | 534182 | T: +65 6383 3832 | F: +65 6383 3830

EMEA & CSA Operations | Antareslaan 18 | 2132 JE Hoofddorp | Netherlands | T: +31 23 5656800 | F: +31 23 5575466

alliedtelesis.com

© 2012 Allied Telesis, Inc. All rights reserved. Information in this document is subject to change without notice. All company names, logos, and product designs that are trademarks or registered trademarks are the property of their respective owners.
C618-31008-00 RevE